

Safety Data Sheet

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Carpet Extraction Cleaner

Product code : GP105

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Carpet Cleaner

## 1.3. Details of the supplier of the safety data sheet

Flo-Kem

19402 Susana Rd.

Rancho Dominguez, CA 90221 - USA T 310-632-7124 - F 310-631-7496

http://www.flo-kem.com

#### 1.4. Emergency telephone number

Emergency number : CHEMTEL: 800-255-3924

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Classification (GHS-US)

Eye Irrit. 2B H320

Full text of H-phrases: see section 16

#### 2.2. Label elements

#### **GHS-US** labeling

Signal word : Warning

Hazard statements : Causes eye irritation.

Precautionary statements : Wash hands and forearms thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

#### 2.3. Hazard not otherwise classified (HNOC)

No additional information available

#### 2.4. Unknown acute toxicity (GHS-US)

- 2.75 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)
- 2.75 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)
- 2.75 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

## SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

(NOTE: If component displays the  $^{\star}$  (asterisk) symbol, the following statement applies.)

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of H-phrases: see section 16

#### 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
alkylated naphthalene sulfonate, sodium salt	(CAS No) Proprietary	1 - 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT RE 2, H373
1-butoxy-2-propanol	(CAS No) 5131-66-8	1 - 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319

(NOTE: If component displays the \* (asterisk) symbol, the following statement applies.)

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Product Code:GP105 EN (English US) Page 1 of 6

Safety Data Sheet

#### **SECTION 4: First aid measures**

#### **Description of first aid measures**

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. If you feel unwell, seek medical advice.

If skin irritation or rash occurs: Wash with plenty of soap and water. Wash contaminated First-aid measures after skin contact

clothing before reuse. If skin irritation persists, get medical attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present First-aid measures after eye contact

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

## Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use. If you

feel unwell, seek medical advice.

Symptoms/injuries after skin contact May cause slight irritation. Symptoms/injuries after eye contact Causes eye irritation. Symptoms/injuries after ingestion : No effects known.

#### Indication of any immediate medical attention and special treatment needed

No additional information available

#### **SECTION 5: Firefighting measures**

#### **Extinguishing media**

Suitable extinguishing media : Alcohol-resistant foam. BC powder. Carbon dioxide. Dry chemical powder. Sand/earth.

Unsuitable extinguishing media : No unsuitable extinguishing media known.

#### Special hazards arising from the substance or mixture

No additional information available

#### **Advice for firefighters**

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : No additional information available.

## **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

: Isolate from fire, if possible, without unnecessary risk. General measures

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles.

Protective gloves.

Emergency procedures : Evacuate unnecessary personnel.

612 For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### **Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

## Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers. Plug the leak, cut off the supply.

Methods for cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials. Wash down leftovers with plenty of water. Wash clothing and equipment after handling.

#### Reference to other sections

See Heading 8. Exposure controls and personal protection.

#### SECTION 7: Handling and storage

#### Precautions for safe handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing. Do not breathe mist, vapors. Ensure good ventilation of the work station. Observe normal hygiene standards. Provide local exhaust or

Page 2 of 6

general room ventilation. Use personal protective equipment as required.

Product Code:GP105 EN (English US)

## Safety Data Sheet

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide local exhaust or general room ventilation. Comply with applicable regulations.

Incompatible products : Strong acids. Oxidizing agent.

Storage area : Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No data available

## 8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Other information : When using, do not eat, drink or smoke.

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and at the end of workday.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Clear
Odor : Citrus

Odor threshold : No data available pH : 9.9 - 10.9 Melting point : No data available

Freezing point : No data available Boiling point :  $> 212 \, ^{\circ}F$  Flash point :  $> 200 \, ^{\circ}F$ 

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Explosive limits : No data available Vapor pressure : No data available Vapor density : No data available

Specific Gravity @ 77° F : 1.010 - 1.030
Solubility : Soluble in water.
Partition Coefficient n-Octanol-Water : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available

9.2. Other information

VOC content : < 15 g/l CARB VOC

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Not established.

Product Code:GP105 EN (English US) Page 3 of 6

## Safety Data Sheet

#### 10.4. Conditions to avoid

Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Oxidizers.

#### 10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. Sulfur oxides.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity : Not classified

1-butoxy-2-propanol (5131-66-8)	
LD50 oral rat	> 2000 mg/kg (Rat)
LD50 dermal rabbit	3100 mg/kg (Rabbit)
ATE US (dermal)	3100.000 mg/kg body weight

Skin corrosion/irritation : Not classified

pH: 9.9 - 10.9

Serious eye damage/irritation : Causes eye irritation.

pH: 9.9 - 10.9

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

Symptoms/injuries after skin contact : May cause slight irritation.
Symptoms/injuries after eye contact : Causes eye irritation.
Symptoms/injuries after ingestion : No effects known.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

1-butoxy-2-propanol (5131-66-8)	
LC50 fish 1	1060 mg/l (Fathead minnow)
EC50 Daphnia 1	> 1000 mg/l
NOEC (acute)	560 mg/l (Daphnia magna)

## 12.2. Persistence and degradability

1-butoxy-2-propanol (5131-66-8)	
Persistence and degradability	Readily biodegradable in water.

## 12.3. Bioaccumulative potential

1-butoxy-2-propanol (5131-66-8)	
Log Pow	0.98 (QSAR)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

#### 12.4. Other adverse effects

Other information : Avoid release to the environment.

Product Code:GP105 EN (English US) Page 4 of 6

Safety Data Sheet

## **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents/container in accordance with Local, State, and Federal regulations.

Ecology - waste materials : Avoid release to the environment.

## **SECTION 14: Transport information**

#### 14.1. UN Number

UN-No.(DOT) : Not Regulated

Other information : No supplementary information available

14.2. UN proper shipping name

DOT Proper Shipping Name : Not Regulated

## SECTION 15: Regulatory information

## 15.1. US Federal regulations

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

alkylated naphthalene sulfonate, sodium salt (Proprietary)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard
1-butoxy-2-propanol (5131-66-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard

## 15.2. International regulations

#### CANADA

#### **EU-Regulations**

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

15.2.2. National regulations

## 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

## **SECTION 16: Other information**

Abbreviations Legend:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B	
Flam. Liq. 4	Flammable liquids Category 4	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2	
H227	Combustible liquid	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H320	Causes eye irritation	
H373	May cause damage to organs through prolonged or repeated	
	exposure	

Product Code:GP105 EN (English US) Page 5 of 6

## Safety Data Sheet

#### Disclaimer

This document is generated for the purpose of distributing health, safely, and environmental data. The information and recommendations are presented in good faith and believed to be from reliable sources, however, the information is provided without any warranty, expressed or implied, regarding its completeness or accuracy. Some information is from sources other than direct test data on the material itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and for this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of the product.

ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE (310) 632-7124

Revision date: 05/11/2015 Supersedes: 01/03/2012 Version: 1.0

Product Code:GP105 EN (English US) Page **6** of **6**